

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

SYNTECH PROFIX

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for building and construction: Chemical anchoring for structural fixings in bicomponent polyester resin without styrene, packed in extrudable bicompartamental cartridge.

#### Uses advised against

None

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street : Via G. Gentile 16/A

Postal code/city : 46044 Goito (MN)

Telephone : +39 0376 604185 / 604365

Telefax : +39 0376 604398

Information contact : info@azichem.com

### 1.4 Emergency telephone number

Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze)

Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

Org. Perox. CD ; H242 - Organic peroxides : Type C ; Heating may cause a fire.

Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Flame (GHS02) · Exclamation mark (GHS07)

##### Signal word

Danger

##### Hazard components for labelling

DIBENZOYL PEROXIDE ; CAS No. : 94-36-0

2-HYDROXYETHYL METHACRYLATE ; CAS No. : 868-77-9

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### Hazard statements

H242 Heating may cause a fire.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 Keep/Store away from clothing/combustible materials.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P410 Protect from sunlight.  
P411+P235 Store at temperatures not exceeding ... °C/... °F. Keep cool.

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

DIBENZOYL PEROXIDE ; EC No. : 202-327-6; CAS No. : 94-36-0

Weight fraction : < 19,5 %  
Classification 1272/2008 [CLP] : Org. Perox. B ; H241 Skin Sens. 1 ; H317 Eye Irrit. 2 ; H319

2-HYDROXYETHYL METHACRYLATE ; EC No. : 212-782-2; CAS No. : 868-77-9

Weight fraction : < 13 %  
Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Eye Irrit. 2 ; H319

VINYLTOLUENE ; EC No. : 246-562-2; CAS No. : 25013-15-4

Weight fraction : < 7 %  
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Eye Irrit. 2 ; H319 STOT SE 3 ; H335

#### Additional information

Full text of H- and EUH-statements: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Causes skin irritation. Irritation to eyes

### 4.3 Indication of any immediate medical attention and special treatment needed

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO<sub>2</sub>) Water mist

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon dioxide (CO<sub>2</sub>) Carbon monoxide

### 5.3 Advice for firefighters

Remove persons to safety.

#### Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

#### For non-emergency personnel

Remove persons to safety.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3 Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

### 6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

## SECTION 7: Handling and storage



### 7.1 Precautions for safe handling

#### Protective measures

##### Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

#### Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

#### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity. Storage temperature up to °C 30°C

#### Hints on joint storage

Storage class : 10

Storage class (TRGS 510) : 5.2

#### Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

#### Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

DIBENZOYL PEROXIDE ; CAS No. : 94-36-0

Limit value type (country of origin) : TRGS 900 ( D )

Parameter : E: inhalable fraction

Limit value : 5 mg/m<sup>3</sup>

Peak limitation : 1(I)

Version : 06.11.2015

VINYLTOLUENE ; CAS No. : 25013-15-4

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 100 ppm / 490 mg/m<sup>3</sup>

Peak limitation : 2(I)

Version : 06.11.2015

#### DNEL/DMEL and PNEC values

##### DNEL/DMEL

### 8.2 Exposure controls

#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Personal protection equipment



When using do not eat, drink, smoke, sniff.

#### Eye/face protection

##### Suitable eye protection

Eye glasses with side protection DIN EN 166

#### Skin protection

##### Hand protection

Tested protective gloves must be worn DIN EN 374

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

**Suitable material :** Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) PVC (Polyvinyl chloride)

## Respiratory protection

Full-/half-/quarter-face masks (DIN EN 136/140) Filter type: A

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Safety relevant basis data

Aspect		Pasta
Colour		gray
Odour		typical
Melting point/melting range :	( 1013 hPa )	No data available
Vapour density	( air = 1 )	Data not available
Initial boiling point and boiling range :	( 1013 hPa )	No data available
Decomposition temperature :		No data available
Self flammability		No data available
Flash point :	=	64 °C
Flammability (solid, gas)		Data not available
Lower explosion limit :		No data available
Upper explosion limit :		No data available
Explosive properties		Data not available
Vapour pressure	( 20 °C )	No data available
Density :	( 20 °C )	1,67 - 1,77 g/cm <sup>3</sup>
Density :	( 23 °C )	No data available
Water solubility :	( 20 °C )	insoluble
pH :		No data available
Log Pow	( 20 °C )	not applicable
Viscosity :	( 20 °C )	thixotropic
Viscosity :	( 23 °C )	No data available
Odour threshold		Data not available
Evaporation rate		Data not available
Maximum VOC content (EC) :	=	4 Wt %
Oxidizing properties		Data not available

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Exothermic decomposition Flammable Ignition hazard

### 10.2 Chemical stability

See section 7. No additional measures necessary.

### 10.3 Possibility of hazardous reactions

Self-accelerating decomposition temperature (SADT) 60°C Vapours can form explosive mixtures with air.

### 10.4 Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

### 10.5 Incompatible materials

Reducing agent. Acid Alkali (Iye). Amines

### 10.6 Hazardous decomposition products

If burned can release: Carbon dioxide. Carbon monoxide

## SECTION 11: Toxicological information

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### 11.1 Information on toxicological effects

#### Acute effects

No data available

#### Acute oral toxicity

Parameter : LD50 ( 2-HYDROXYETHYL METHACRYLATE ; CAS No. : 868-77-9 )

Exposure route : Oral

Species : Mouse

Effective dose : 5888 mg/kg

Parameter : LD50 ( VINYLTOLUENE ; CAS No. : 25013-15-4 )

Exposure route : Oral

Species : Rat

Effective dose : 4000 mg/kg

#### Acute inhalation toxicity

Parameter : LC50 ( VINYLTOLUENE ; CAS No. : 25013-15-4 )

Exposure route : Inhalation

Species : Mouse

Effective dose : 3020 mg/m<sup>3</sup>

#### Irritant and corrosive effects

##### Primary irritation to the skin

Irritant.

##### Irritation to eyes

strongly irritant.

##### Irritation to respiratory tract

Not an irritant.

#### Sensitisation

##### In case of skin contact

sensitising.

##### In case of inhalation

not sensitising.

#### Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

None

## SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

### 12.1 Toxicity

No information available.

### 12.2 Persistence and degradability

Readily biodegradable (according to OECD criteria).

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Other adverse effects

No information available.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

### 12.7 Additional ecotoxicological information

None

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product/Packaging disposal

Dispose according to legislation.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Regulation (EC) 1907/2006/CE (REACH). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 487/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 944/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 605/2014 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 1297/2015 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008).

#### Other regulations (EU)

##### Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List

None

#### National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

#### Technische Anleitung Luft (TA-Luft)

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

Weight fraction (Number 5.2.5. I) : 15 - 20 %

### Water hazard class (WGK)

Class : 3 (Strongly hazardous to water) Classification according to VwVwS

## 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### 16.1 Indication of changes

03. Hazardous ingredients

### 16.2 Abbreviations and acronyms

#### LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50/100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50/100% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
VwVwS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)
PNEC:	Predicted No Effect Concentration
PNOS:	Particulates not Otherwise Specified
BOD:	Biochemical Oxygen Demand
COD:	Chemical Oxygen Demand
BCF:	BioConcentration Factor
TRGS :	Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany
LCLo:	Lethal Concentration Low (La minima concentrazione letale)
ThOD:	Theoretical Oxygen Demand



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH PROFIX  
Revision date : 25.05.2017  
Print date : 25.05.2017

Version (Revision) : 2.0.0 (1.0.0)

---

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H226	Flammable liquid and vapour.
H241	Heating may cause a fire or explosion.
H242	Heating may cause a fire.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

### 16.6 Training advice

None

### 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---