

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

CONSILEX INJECT MAUER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for building and construction: Single-component micro-emulsion of modified silanes for the construction of slow diffusion-proofing chemical barriers.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street : Via G. Gentile16/A

Postal code/city : 46044 Goito (MN)

Telephone : +390376604185/604365

Telefax : +39 0376 604398

Information contact : info@azichem.com

1.4 Emergency telephone number

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze)

Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Exclamation mark (GHS07)

Signal word

Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P332+P313 If skin irritation occurs: Get medical advice/attention.

Special rules for supplemental label elements for certain mixtures

EUH208 Contains A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

DIMETHYL SILOXANE, (ETHANEDIAMINO-2-METHYLPROPYL) METHOXYMETHYLSILYL)OXY- AND C13-15-ALKOXY-TERM. ; CAS No. : 188627-10-3

Weight fraction : $\geq 15 - < 20$ %
Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319

METHANOL ; REACH registration No. : 01-2119433307-44 ; EC No. : 200-659-6 ; CAS No. : 67-56-1

Weight fraction : $< 0,5$ %
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Acute Tox. 3 ; H331 STOT SE 1 ; H370

FORMIC ACID ; REACH registration No. : 01-2119491174-37 ; EC No. : 200-579-1 ; CAS No. : 64-18-6

Weight fraction : $< 0,5$ %
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Acute Tox. 3 ; H331 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9

Weight fraction : $\geq 0,00015 - < 0,0015$ %
Classification 1272/2008 [CLP] : Acute Tox. 2 ; H330 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 (M=100) Aquatic Chronic 1 ; H410 (M=100)

Additional information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

Irritation to eyes Irritation to eyes May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO₂) Water mist

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nessuno in particolare

5.3 Advice for firefighters

Remove persons to safety.

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

For non-emergency personnel

Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

Hints on joint storage

Storage class : 10

Storage class (TRGS 510) : 3

Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

METHANOL ; CAS No. : 67-56-1

Limit value type (country of origin) : TRGS 900 (D)

Limit value : 200 ppm / 270 mg/m³

Peak limitation : 4(II)

Remark : H, Y

Version : 06.11.2015

Limit value type (country of origin) : TWA (EC)

Limit value : 200 ppm / 260 mg/m³

Remark : H

Version : 07.02.2006

FORMIC ACID ; CAS No. : 64-18-6

Limit value type (country of origin) : TRGS 900 (D)

Limit value : 5 ppm / 9,5 mg/m³

Peak limitation : 2(I)

Remark : Y

Version : 02.04.2014

Limit value type (country of origin) : OEL (EC)

Limit value : 9 mg/m³ / 5 ppm

Version :

Limit value type (country of origin) : TWA (EC)

Limit value : 5 ppm / 9 mg/m³

Version : 07.02.2006

Biological limit values

METHANOL ; CAS No. : 67-56-1

Limit value type (country of origin) : TRGS 903 (D)

Parameter : Methanol / Urine (U) / End of exposure or end of shift ; At long term exposure: after several previous shifts

Limit value : 30 mg/l

Version : 31.03.2004

DNEL/DMEL and PNEC values

DNEL/DMEL

Limit value type : DNEL Consumer (local) (METHANOL ; CAS No. : 67-56-1)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

Exposure route : Inhalation
Exposure frequency : Short-term (acute)
Limit value : 50 mg/m³
Limit value type : DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Dermal
Exposure frequency : Long-term (repeated)
Limit value : 8 mg/kg
Limit value type : DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Exposure frequency : Long-term (repeated)
Limit value : 50 mg/m³
Limit value type : DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Oral
Exposure frequency : Long-term (repeated)
Limit value : 8 mg/kg
Limit value type : DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Dermal
Exposure frequency : Short-term (acute)
Limit value : 8 mg/kg
Limit value type : DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Exposure frequency : Short-term (acute)
Limit value : 50 mg/kg
Limit value type : DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Oral
Exposure frequency : Short-term (acute)
Limit value : 8 mg/kg
Limit value type : DNEL worker (local) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Dermal
Exposure frequency : Short-term (acute)
Limit value : 40 mg/kg
Limit value type : DNEL worker (local) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Exposure frequency : Short-term (acute)
Limit value : 260 mg/m³
Limit value type : DNEL worker (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Exposure frequency : Short-term (acute)
Limit value : 260 mg/m³
Limit value type : DNEL worker (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Dermal
Exposure frequency : Long-term (repeated)
Limit value : 40 mg/kg
Limit value type : DNEL worker (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Exposure frequency : Long-term (repeated)
Limit value : 260 mg/m³

PNEC

Limit value type : PNEC aquatic, freshwater (FORMIC ACID ; CAS No. : 64-18-6)
Limit value : 2 mg/l
Limit value type : PNEC aquatic, marine water (FORMIC ACID ; CAS No. : 64-18-6)
Limit value : 0,2 mg/l
Limit value type : PNEC sediment, freshwater (FORMIC ACID ; CAS No. : 64-18-6)
Limit value : 13,4 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

Limit value type : PNEC sediment, marine water (FORMIC ACID ; CAS No. : 64-18-6)
Limit value : 1,34 mg/kg
Limit value type : PNEC Soil (FORMIC ACID ; CAS No. : 64-18-6)
Limit value : 1,5 mg/kg
Limit value type : PNEC sewage treatment plant (STP) (FORMIC ACID ; CAS No. : 64-18-6)
Limit value : 7,2 mg/l

8.2 Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Personal protection equipment



When using do not eat, drink, smoke, sniff.

Eye/face protection

Safety glasses with side shields (EN 166).

Suitable eye protection

Eye glasses with side protection

Skin protection

Wear rubber gloves approved under standard EN374.

Hand protection

Tested protective gloves must be worn

Respiratory protection

Not necessary for normal use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Safety relevant basis data

Appearance :			liquid
Odour :			odourless
Colour			colourless
Melting point/melting range :	(1013 hPa)		No data available
Freezing point :			No data available
Vapour density	((air = 1))	>	1
Initial boiling point and boiling range :	(1013 hPa)		100 °C
Decomposition temperature :			No data available
Self flammability			No data available
Flash point :		>	60 °C
Ignition temperature :			No data available
Lower explosion limit :			No data available
Upper explosion limit :			No data available
Explosive properties :			No data available.
Explosive properties			Data not available
Vapour pressure	(20 °C)		No data available
Density :	(20 °C)		1,05 g/cm ³
Relative density :	(20 °C)		No data available
Water solubility :	(20 °C)		Soluble
pH :			3 - 6

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

Log Pow	(20 °C)	not applicable
Viscosity :	(20 °C)	No data available
Odour threshold		Data not available
Odour threshold :		No data available
Relative vapour density :	(20 °C)	No data available
Evaporation rate :		No data available
Evaporation rate		Data not available
Maximum VOC content (EC) :		Not available
Oxidizing properties		Not oxidising

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable.

10.2 Chemical stability

See section 7. No additional measures necessary.

10.3 Possibility of hazardous reactions

None particular

10.4 Conditions to avoid

None particular

10.5 Incompatible materials

None particular

10.6 Hazardous decomposition products

None

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity

Parameter :	LD50
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Oral
Species :	Rat
Effective dose :	1187 - 2769 mg/kg

Acute dermal toxicity

Parameter :	LD50
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	17000 mg/kg

Acute inhalation toxicity

Parameter :	LC50 (METHANOL ; CAS No. : 67-56-1)
-------------	---------------------------------------

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

Exposure route : Inhalation
Species : Rat
Effective dose : 128,2 mg/l
Exposure time : 4 h
Parameter : LC50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Species : Mouse
Effective dose : 79,43 mg/l
Exposure time : 134 min
Parameter : LC50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Species : Cat
Effective dose : 85,41 mg/l
Exposure time : 4,5 h
Parameter : LC50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Species : Cat
Effective dose : 43,68 mg/l
Exposure time : 6 h

Irritant and corrosive effects

Primary irritation to the skin

Irritant.

Irritation to eyes

Irritant.

Irritation to respiratory tract

Not an irritant.

Sensitisation

In case of skin contact

May produce an allergic reaction.

In case of inhalation

not sensitising.

Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter : LC50 (METHANOL ; CAS No. : 67-56-1)
Species : Lepomis macrochirus (Bluegill)
Effective dose : 15400 mg/l
Exposure time : 96 h

Chronic (long-term) fish toxicity

Parameter : NOEC (METHANOL ; CAS No. : 67-56-1)
Species : Oryzias latipes (Ricefish)
Effective dose : 7900 mg/l

Acute (short-term) daphnia toxicity

Parameter : EC50 (METHANOL ; CAS No. : 67-56-1)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

Species : Daphnia magna (Big water flea)
Effective dose : > 10000 mg/l
Exposure time : 48 h

Chronic (long-term) daphnia toxicity

Parameter : NOEC (FORMIC ACID ; CAS No. : 64-18-6)
Species : Daphnia magna (Big water flea)
Effective dose : 102 mg/l
Exposure time : 21 days

Acute (short-term) algae toxicity

Parameter : EC50 (METHANOL ; CAS No. : 67-56-1)
Species : Selenastrum capricornutum
Effective dose : 22000 mg/l
Exposure time : 96 h

Bacteria toxicity

Parameter : EC50 (FORMIC ACID ; CAS No. : 64-18-6)
Species : Pseudomonas putida
Effective dose : 46,7 mg/l
Exposure time : 17 h

Parameter : EC10 (FORMIC ACID ; CAS No. : 64-18-6)
Species : Activated sludge
Effective dose : 72 mg/l
Exposure time : 13 days

Parameter : EC20 (FORMIC ACID ; CAS No. : 64-18-6)
Species : Activated sludge
Effective dose : > 1000 mg/l
Exposure time : 30 min

12.2 Persistence and degradability

Biodegradation

Parameter : Biodegradation (FORMIC ACID ; CAS No. : 64-18-6)
Effective dose : > 99
Exposure time : 10 days
Method : OECD 301E/ EEC 92/69/V, C.4-B

12.3 Bioaccumulative potential

Significant bioaccumulation potential is not to be expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Dispose according to legislation.

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

14.1 UN number

No information available.

14.2 UN proper shipping name

No information available.

14.3 Transport hazard class(es)

No information available.

14.4 Packing group

No information available.

14.5 Environmental hazards

No information available.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) 1907/2006 (REACH).
Regulation (EC) No 1272/2008 (CLP).
Regulation (EU) 2015/830 requirements for the compilation of safety data sheets.
Amendings, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008:
Commission Regulation (EC) No 790/2009 (I ATP). Commission Regulation (EU) No 286/2011(II ATP). Commission Regulation (EU) No 618/2012 (III ATP). Commission Regulation (EU) No 487/2013 (IV ATP). Commission Regulation (EU) No 944/2013 (V ATP). Commission Regulation (EU) No 605/2014 (VI ATP). Commission Regulation (EU) No 1297/2014 (VII ATP). Commission Regulation (EU) No 2015/1221 (VIII ATP).

Other regulations (EU)

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List

None

National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

Störfallverordnung

For substances contained in the product

METHANOL ; CAS No. : 67-56-1 ; Category : 26

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients · 07. Hints on joint storage - Storage class · 08. Occupational exposure limit values · 15. EU Legislation

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

16.2 Abbreviations and acronyms

LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50/100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50/100% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
AwSV.:	Ordinance on facilities for handling substances that are hazardous to water (Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV))
PNEC:	Predicted No Effect Concentration
PNOS:	Particulates not Otherwise Specified
BOD:	Biochemical Oxygen Demand
COD:	Chemical Oxygen Demand
BCF:	BioConcentration Factor
TRGS :	Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany
LCLo:	Lethal Concentration Low (La minima concentrazione letale)
ThOD:	Theoretical Oxygen Demand

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301+H311	Toxic if swallowed or in contact with skin.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : CONSILEX INJECT MAUER
Revision date : 20.06.2018
Print date : 20.06.2018

Version (Revision) : 3.0.0 (2.0.0)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H410	Very toxic to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
